

series sensation 1100**type** cucine a gas con bacinelle in acciaio inox / gas ranges with stainless steel containers**model** SE 110/... PCGBI... SE 110/... CFG...

SE 110/40 PCGBI
SE 110/40 PCGBI-P
SE 110/80 PCGBI
SE 110/80 PCGBI-P
SE 110/120 PCGBI
SE 110/120 PCGBI-P
SE 110/100 CFGBI
SE 110/100 CFGEBI



Descrizione generale

Piano di lavoro stampato, realizzato in acciaio inox AISI 304, spessore 20/10. Bruciatori in ghisa e ottone da 5,5 kW (doppia corona, Ø 110mm), e da 7,5 kW (doppia corona, Ø 130mm). Regolazione continua della potenza tramite rubinetto di sicurezza con termocoppia. Accensione del bruciatore principale tramite pilota. Bruciatore pilota e termocoppia collocati sotto il corpo del bruciatore principale, protetti da urti accidentali ed eventuali spruzzi e/o traboccamenti. Modelli su forno gas/elettrico con capacità GN 2/1, con la controporta in acciaio inox con tenuta a labirinto. Accensione forno gas tramite piezo.

+ Plus costruttivi

- Piano di lavoro in 20/10
- Tutte le bacinelle sono in acciaio Inox

+ Plus prestazionali

- Comandi su 2 lati per una maggiore possibilità di utilizzo

General description

Pressed working top in stainless steel AISI 304, 20/10 thickness. Burners in cast iron and brass of 5,5 kW (double crown, Ø 110 mm) to 7,5 kW (double crown Ø 130 mm). Safety tap with thermocouple for a constant adjustment of heating power. Ignition of main burner by pilot burner. Pilot burner and thermocouple are installed underneath the main burner body in order to be protected from accidental impacts and liquid overflow. Models with gas or electric oven, capacity GN 2/1 and supplied with oven inner door made in stainless steel with labyrinth sealing. Gas oven ignition by piezo device.

+ Construction plus

- Working top in 20/10
- All containers are in stainless steel

+ Performance plus


- Two-sided panel control for higher possibility of use

series sensation 1100

type cucine a gas con bacinelle in acciaio inox / gas ranges with stainless steel containers

model SE 110/... PCGBI... SE 110/... CFG...

dati tecnici technical data

	dimensioni <i>dimensions</i>	nr. fuochi <i>burners no.</i>	potenza fuochi post. <i>back burners power</i>	potenza fuochi ant. <i>front burners power</i>	forno <i>oven</i>	potenza ele. tot <i>total ele. power</i>	potenza gas tot. <i>total gas. power</i>
	cm LxWxH	-	kW	kW	kW	kW	kW
SE 110/40 PCGBI	40x110x87	2	1x5,5 kW	1x7,5 kW	-	-	13 kW
SE 110/40 PCGBI-P	40x110x87	2	1x5,5 kW	1x7,5 kW	-	-	13 kW
SE 110/80 PCGBI	80x110x87	4	2x5,5 kW	2x7,5 kW	-	-	26 kW
SE 110/80 PCGBI-P	80x110x87	4	2x5,5 kW	2x7,5 kW	-	-	26 kW
SE 110/120 PCGBI	120x110x87	6	3x5,5 kW	3x7,5 kW	-	-	39 kW
SE 110/120 PCGBI-P	120x110x87	6	3x5,5 kW	3x7,5 kW	-	-	39 kW
SE 110/100 CFGBI	100x110x87	4	2x5,5 kW	2x7,5 kW	gas 10 kw	-	36 kW
SE 110/100 CFGBEI	100x110x87	4	2x5,5 kW	2x7,5 kW	ele 9 kw	9 kW 380-415V 3N 50-60Hz	26 kW

Per tutti i modelli: regolazione altezza 50 mm

For all models: height regulation 50 mm

Connessione gas: 1/2"


Gas connection: 1/2"

series sensation 1100

type cucine a gas con bacinelle in acciaio inox / gas ranges with stainless steel containers

model SE 110/... PCGBI... SE 110/... CFG...

schema d'installazione
installation diagram



series sensation 1100

type cucine a gas con bacinelle in acciaio inox / gas ranges with stainless steel containers

model SE 110/... PCGBI... SE 110/... CFG...

schema d'installazione
installation diagram

