

series sensation 1100**type** cucine elettriche simple piastre quadre / electric ranges simple square plates**model** SE 110/... PCE... SE 110/... CFE...

SE 110/60 PCE

SE 110/60 PCE-P

SE 110/100 PCE

SE 110/100 PCE-P

SE 110/100 CFE



Descrizione generale

Piano di lavoro in acciaio inox inossidabile AISI 304, spessore 20/10. Piano con invaso per la raccolta dei liquidi. Piastre di riscaldamento quadrate in ghisa, 300x300 mm, fissate ermeticamente al piano con potenza 4 kW cad. Attivazione del riscaldamento segnalato da lampada spia sul pannello comandi. Temperatura di lavoro regolabile su 6 posizioni. Modelli su forno elettrico statico, capacità GN 2/1, controporta forno in acciaio inox con tenuta a labirinto. Regolazione temperatura da 50°C a 300°C. Potenza forno 9 kW. Comandi sui 2 lati.

+ Plus costruttivi

- Piano di lavoro in 20/10
- Temperatura di lavoro regolabile su 6 posizioni
- Piano con invaso e piastre fissate ermeticamente

+ Plus prestazionali

- Modello CFE con forno elettrico statico
- Piastre di riscaldamento con potenza 4 kW

General description

Worktop in stainless steel AISI 304, 20/10 thickness. Recessed top to contain fluids. Cast iron square hot plates, dimensions 300x300 mm hermetically sealed on the top and with power 4 kW each. Indicator led on the control panel showing activation of heating. Selector with 6-position-switch for heat adjustment. Models with electric static oven and capacity GN 2/1, oven inner door in stainless steel with labyrinth sealing. Temperature adjustment from 50°C to 300°C. Oven power 9 kW. Control knobs on both sides.

+ Construction plus

- Worktop in 20/10
- 6-position selector switch for heat adjustment
- Recessed top and hotplates hermetically sealed

+ Performance plus

- Model CFE with electric static oven
- Cast iron square with 4 kW power



series sensation 1100

type cucine elettriche simple piastre quadre / electric ranges simple square plates

model SE 110/... PCE... SE 110/... CFE...

dati tecnici technical data

	dimensioni <i>dimensions</i>	nr. piastre <i>no. square plates no.</i>	potenza piastra <i>burners power</i>	potenza forno <i>oven power</i>	potenza elettrica tot. <i>tot. electric power</i>
	cm LxWxH	-	kW	kW	kW
SE 110/60 PCE	60x110x87	2	2x4 kW	-	8 KW 380-415V 3N 50-60HZ
SE 110/60 PCE-P	60x110x87	2	2x4 kW	-	8 KW 380-415V 3N 50-60HZ
SE 110/100 PCE	100x110x87	4	4x4 kW	-	16 KW 380-415V 3N 50-60HZ
SE 110/100 PCE-P	100x110x87	4	4x4 kW	-	16 KW 380-415V 3N 50-60HZ
SE 110/100 CFE	100x110x87	4	4x4 kW	9 kW	25 kW 380-415V 3N 50-60Hz

Per tutti i modelli eccetto -T: regolazione altezza 50 mm
For all models except -T: height regulation 50 mm


Per tutti i modelli potenza disponibile anche a 220-240V 3 50-60Hz
For all models power also available at 220-240V 3 50-60Hz power

series sensation 1100

type cucine elettriche simple piastre quadre / electric ranges simple square plates

model SE 110/... PCE... SE 110/... CFE...

schema d'installazione
installation diagram



series sensation 1100

type cucine elettriche simple piastre quadre / electric ranges simple square plates

model SE 110/... PCE... SE 110/... CFE...

schema d'installazione
installation diagram

